

WEST Search History for Application 10662603

Creation Date: 2008122305:39

Query	DB	Op.	Plur.	Thes.	Date
5915008.pn.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	NO		12-23-2008
(transparen\$2 or generic\$4 or abstract\$3 or wrap\$4 or api or application near interface) with (web or pbx or public near exchange or call near server)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	NO		12-23-2008
(transparen\$2 or generic\$4 or abstract\$3 or wrap\$4 or api or application near interface) with (pbx or public near exchange or call near server)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	NO		12-23-2008
call near (forwarding or block\$3 or roam\$3) and ((transparen\$2 or generic\$4 or abstract\$3 or wrap\$4 or api or application near interface) with (pbx or public near exchange or call near server))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	NO		12-23-2008
@pd<19991008 and (call near (forwarding or block\$3 or roam\$3) and (transparen\$2 or generic\$4 or abstract\$3 or wrap\$4 or api or application near interface) with (pbx or public near exchange or call near server))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	NO		12-23-2008
wrap\$5 with (conference or forwarding or two near way or blocking) near call\$3	PGPB, USPT, USOC, EPAB, JPAB,	OR			12-23-2008

	DWPI, TDBD				
wrap\$5 same (conference or forwarding or two near way or blocking) near call\$3	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-23-2008
wrap\$5 and (translat\$3 or conver\$4) near (conference or forwarding or two near way or blocking) near call\$3	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-23-2008
wrap\$5 and (translat\$3 or conver\$4) with (conference or forwarding or two near way or blocking) near call\$3	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-23-2008
(api or application near interface) and wrap\$5 and (conference or forwarding or two near way or blocking) near call\$3	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-23-2008
@pd<19991208 and ((api or application near interface) and wrap\$5 and (conference or forwarding or two near way or blocking) near call\$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-23-2008
(translat\$3 or conver\$4) near (command or call)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-23-2008
(call near server or pbx or public near exchange or switch\$3 near system) and ((translat\$3 or conver\$4) near	PGPB, USPT,	OR			12-23-2008

(command or call))	USOC, EPAB, JPAB, DWPI, TDBD				
((translat\$3 or conver\$4) near (command or call)) and ((call near server or pbx or public near exchange or switch\$3 near system) and (translat\$3 or conver\$4) near (command or call))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-23-2008
@pd<19991008 and ((translat\$3 or conver\$4) near (command or call) and (call near server or pbx or public near exchange or switch\$3 near system) and (translat\$3 or conver\$4) near (command or call))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-23-2008
(call near server or pbx or public near exchange or switch\$3 near system) and ((translat\$3 or conver\$4) near (command or call))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-23-2008
@pd<19991008 and ((call near server or pbx or public near exchange or switch\$3 near system) and (translat\$3 or conver\$4) near (command or call))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-23-2008
(forwarding or waiting or two or conference) near call and (@pd<19991008 and (call near server or pbx or public near exchange or switch\$3 near system) and (translat\$3 or conver\$4) near (command or call))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-23-2008
(web or browser or internet) and ((forwarding or waiting or two or conference) near call and @pd<19991008 and (call near server or pbx or public near exchange or switch\$3 near system) and (translat\$3 or conver\$4) near (command or call))	PGPB, USPT, USOC, EPAB, JPAB, DWPI,	OR			12-23-2008

	TDBD				
wrapper and ((translat\$3 or conver\$4) near (command or call))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-23-2008
(call near server or pbx or public near exchange or switch\$3 near system) and (wrapper and (translat\$3 or conver\$4) near (command or call))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-23-2008
@pd<19991008 and ((call near server or pbx or public near exchange or switch\$3 near system) and wrapper and (translat\$3 or conver\$4) near (command or call))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-23-2008
(call near server or pbx or public near exchange or switch\$3 near system) and (wrapper and (translat\$3 or conver\$4) near (command or call))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-23-2008
@pd<19991008 and ((call near server or pbx or public near exchange or switch\$3 near system) and wrapper and (translat\$3 or conver\$4) near (command or call))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-23-2008
wrap\$4 same (translat\$3 or conver\$4) near (command or call)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-23-2008
(translat\$3 or conver\$4) with (conference or control) near call	PGPB, USPT, USOC,	OR			12-23-2008

	EPAB, JPAB, DWPI, TDBD				
@pd<19991008 and ((translat\$3 or conver\$4) with (conference or control) near call)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-23-2008
(web or browser) and (@pd<19991008 and (translat\$3 or conver\$4) with (conference or control) near call)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-23-2008
(api or dll or application near interface) and (@pd<19991008 and (translat\$3 or conver\$4) with (conference or control) near call)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-23-2008
(conver\$4 or translat\$3) with conference adj call	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-23-2008
(conver\$4 or translat\$3) with conference adj call	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-23-2008
@pd<19991008 and ((conver\$4 or translat\$3) with conference adj call)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-23-2008

(api or application near interface or dll or librar\$3) near (conver\$4 or translat\$3) with call	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-23-2008
@pd<19991008 and ((api or application near interface or dll or librar\$3) near (conver\$4 or translat\$3) with call)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-23-2008
(api or application near interface or dll or librar\$3) near (conver\$4 or translat\$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-23-2008
(conference adj call or cti or computer near telephony) and ((api or application near interface or dll or librar\$3) near (conver\$4 or translat\$3))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-23-2008
RAMEY-K-SCOTT!	TDBD, DWPI, JPAB, EPAB, USOC, USPT, PGPB	OR			12-23-2008
RAMEY-K-SCOTT!	TDBD, DWPI, JPAB, EPAB, USOC, USPT, PGPB	OR			12-23-2008
RAMEY-K-SCOTT!	TDBD, DWPI, JPAB, EPAB,	OR			12-23-2008

	USOC, USPT, PGPB				
RAMEY-K-S!	TDBD, DWPI, JPAB, EPAB, USOC, USPT, PGPB	OR			12-23-2008
BURGER-MICHEL!	TDBD, DWPI, JPAB, EPAB, USOC, USPT, PGPB	OR			12-23-2008
BURGER-MICHEL!	TDBD, DWPI, JPAB, EPAB, USOC, USPT, PGPB	OR			12-23-2008
BURGER-MICHEL-C!	TDBD, DWPI, JPAB, EPAB, USOC, USPT, PGPB	OR			12-23-2008
(709/201 1709/202 1709/203 1709/204 1709/205 1709/206 1709/207 1709/217 1709/218 1709/219).ccls.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-23-2008
((web adj application) and (wrap\$6 or transparen\$2 or generic\$4 or abstract\$3 or api or application near interface or translat\$3 or conver\$4)).ab,ti.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-23-2008
		OR			12-23-2008

(379/158 379/159 379/160 379/202.01 379/203.01 379/204.01 379/205.01 379/219 379/220.01 379/221.01 379/221.02 379/222 379/223 379/224 379/225 379/226 379/227 379/228 379/229 379/230 379/231 379/232 379/233 379/234 379/265.01 379/265.02).cccls.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD				
(455/416).cccls.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-23-2008
(719/311 719/312 719/313 719/314 719/315 719/316 719/317 719/318 719/328 719/330 719/331 719/332).cccls.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-23-2008
((709/201 709/202 709/203 709/204 709/205 709/206 709/207 709/217 709/218 709/219).cccls.) or ((379/158 379/159 379/160 379/202.01 379/203.01 379/204.01 379/205.01 379/219 379/220.01 379/221.01 379/221.02 379/222 379/223 379/224 379/225 379/226 379/227 379/228 379/229 379/230 379/231 379/232 379/233 379/234 379/265.01 379/265.02).cccls.) or ((455/416).cccls.) or ((719/311 719/312 719/313 719/314 719/315 719/316 719/317 719/318 719/328 719/330 719/331 719/332).cccls.)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-23-2008
((web adj application) and (wrap\$6 or transparen\$2 or generic\$4 or abstract\$3 or api or application near interface or translat\$3 or conver\$4)).ab, ti.) and ((709/201 709/202 709/203 709/204 709/205 709/206 709/207 709/217 709/218 709/219).cccls. or (379/158 379/159 379/160 379/202.01 379/203.01 379/204.01 379/205.01 379/219 379/220.01 379/221.01 379/221.02 379/222 379/223 379/224 379/225 379/226 379/227 379/228 379/229 379/230 379/231 379/232 379/233 379/234 379/265.01 379/265.02).cccls. or (455/416).cccls. or (719/311 719/312 719/313 719/314 719/315 719/316 719/317 719/318 719/328 719/330 719/331 719/332).cccls.)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-23-2008
((web adj application) and (wrap\$6 or transparen\$2 or generic\$4 or abstract\$3 or api or application near interface or translat\$3 or conver\$4)) with server	PGPB, USPT, USOC, EPAB,	OR			12-23-2008

	JPAB, DWPI, TDBD				
(call\$3 near server) or (computer near telephony near interface)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-23-2008
((web adj application) and (wrap\$6 or transparen\$2 or generic\$4 or abstract\$3 or api or application near interface or translat\$3 or conver\$4)) with server) and ((call\$3 near server) or (computer near telephony near interface))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-23-2008
@pd<19991008 and (((web adj application) and (wrap\$6 or transparen\$2 or generic\$4 or abstract\$3 or api or application near interface or translat\$3 or conver\$4)) with server and (call\$3 near server) or (computer near telephony near interface))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-23-2008
((web adj application) and (wrap\$6 or transparen\$2 or generic\$4 or abstract\$3 or api or application near interface or translat\$3 or conver\$4)) and ((call\$3 near server) or (computer near telephony near interface))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-23-2008
((web adj application) with (wrap\$6 or transparen\$2 or generic\$4 or abstract\$3 or api or application near interface or translat\$3 or conver\$4)) and ((call\$3 near server) or (computer near telephony near interface))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-23-2008
((web adj application) with (translat\$3 or conver\$4))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-23-2008
		OR			12-23-2008

((call\$3 near center or computer near telephony near server or computer near telephony near interface))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD				
((((web adj application) with (translat\$3 or conver\$4))) and ((call\$3 near center or computer near telephony near server or computer near telephony near interface))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-23-2008
(conference or control or service) near (call or request or message or command)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-23-2008
((conference or control or service) near (call or request or message or command)) with (conver\$4 or translat\$3 or format)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-23-2008
@pd<19991008 and (((conference or control or service) near (call or request or message or command)) with (conver\$4 or translat\$3 or format))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-23-2008
((call\$3 near center or computer near telephony near server or computer near telephony near interface)) and (@pd<19991008 and ((conference or control or service) near (call or request or message or command)) with (conver\$4 or translat\$3 or format))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-23-2008
((api or application near interface or dll or librar\$3) near (translat\$3 or conver\$4)) and (call near server or cti or call\$3 near center or computer near telephony near server or computer near telephony near interface)	PGPB, USPT, USOC, EPAB,	OR			12-23-2008

	JPAB, DWPI, TDBD				
20060029039	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-23-2008
(conference near (message or request or call or command)) with (translat\$3 or conver\$4)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-23-2008
@pd<19991008 and ((conference near (message or request or call or command)) with (translat\$3 or conver\$4))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-23-2008
(conference near call) with ((translat\$3 or conver\$4) near2 (message or request or call or command))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-23-2008
@pd<19991008 and ((conference near call) with ((translat\$3 or conver\$4) near2 (message or request or call or command)))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-23-2008
((api or application near interface or dll or librar\$3) near2 (translat\$3 or conver\$4)) with (conference near call)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-23-2008
		OR			12-23-2008

(api or application near interface or dll or librar\$3) with (conference near call)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD				
((api or application near interface or dll or librar\$3) same (translat\$3 or conver\$4)) with (conference near call)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-23-2008
(translat\$3 or conver\$4) with (conference near call)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-23-2008
(call near server or pbx or switch\$3 near (server or system)) and ((translat\$3 or conver\$4) with (conference near call))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-23-2008
@pd<19991008 and ((call near server or pbx or switch\$3 near (server or system)) and (translat\$3 or conver\$4) with (conference near call))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-23-2008
(api or application near interface or dll) same conference adj call	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-23-2008
(api or application near interface or dll) same conference near call	PGPB, USPT, USOC, EPAB,	OR			12-23-2008

	JPAB, DWPI, TDBD				
((translat\$3 or conver\$4) with call	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-23-2008
((api or application near interface or dll) same conference near call) and ((translat\$3 or conver\$4) with call)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-23-2008
@pd<19991008 and ((api or application near interface or dll) same conference near call and (translat\$3 or conver\$4) with call)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-23-2008
(api or application near interface or dll) same (translat\$3 or conver\$4) with control near call	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-23-2008
@pd<19991008 and ((api or application near interface or dll) same (translat\$3 or conver\$4) with control near call)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-23-2008
@pd<19991008 and (translat\$3 or conver\$4) with control near call	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-23-2008
		OR			12-23-2008

wrapper and (api or application near interface or dll) (@pd<19991008 and (translat\$3 or conver\$4) with control near call)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD				
wrapper and (api or application near interface or dll) and (@pd<19991008 and (translat\$3 or conver\$4) with control near call)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-23-2008
(wrapper or api or application near interface or dll) and (@pd<19991008 and (translat\$3 or conver\$4) with control near call)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-23-2008